

1895, Boul. Frontenac Est  
Thefford Mines (QC) G6G 6P6  
CANADA  
www.technometalpost.com

**CONFIDENTIAL**  
THE INFORMATIONS CONTAINED  
IN THIS DRAWING IS THE SOLE  
PROPERTY OF TECHNO METAL POST INC.  
ANY REPRODUCTION IN PART OR  
AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF TECHNO METAL POST INC.  
IS PROHIBITED

REVISIONS

DATE	DESCRIPTION	REV.

Client :

Client address :

Project :

Drawing : **Techno Metal Post Model P5 (Above ground light structure)**


Approved by :

Date : 2011-10-31

Scale : N/A

Drawing no: AI-P5-00-G

Page number : SHEET 1 OF 1



Galvanization standard  
ACNOR G 164-M 0.125 lbs/ft<sup>2</sup>  
[ 610g/m<sup>2</sup> ]

If required, piles may be field welded with extensions to achieve greater loading capacities in poor soil conditions.

Allowable working load		
Compression and tension	Lateral *	Bending moment
50,000 lbs - 222.4 kN	4,496 lbs - 20 kN	26,921 lbs.pi - 36.5 kN.m
* The lateral capacity depends on the density of soil		