

1895, Boul. Frontenac Est
 Thefford Mines (QC) G6G 6P6
 CANADA
 www.technometalpost.com

CONFIDENTIAL
 THE INFORMATIONS CONTAINED
 IN THIS DRAWING IS THE SOLE
 PROPERTY OF TECHNO METAL POST INC.
 ANY REPRODUCTION IN PART OR
 AS A WHOLE WITHOUT THE WRITTEN
 PERMISSION OF TECHNO METAL POST INC.
 IS PROHIBITED

REVISIONS

DATE	DESCRIPTION	REV.

Client :

Client adress :

Project :

Drawing : **Techno Metal Post Model P4 (Deep fondation)**


Approved by :

Date : 2011-10-31

Scale : N/A

Drawing no : AI-P4-00

Page number : SHEET 1 OF 1



**Galvanization standard
 ACNOR G 164-M 0.125 lbs/ft²
 [610g/m²]**

**If required, piles may be field
 welded with extensions to
 achieve greater loading
 capacities in poor soil
 conditions.**

Allowable working load		
Compression and tension	Lateral *	Bending moment
29,000 lbs - 129.0 kN	2,698 lbs - 12 kN	10,400 lbs.pi - 14.1 kN.m

* The lateral capacity depends on the density of soil